

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ		
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ	
ΛΙΠΑΝΤΙΚΑ ΒΕΝΖΙΝΟΚΙΝΗΤΗΡΩΝ / ΕΛΑΦΡΩΝ DIESEL					
06-61-020B1L	ULTRA ECO 0W20 API SN, ILSAC GF-5, DEXOS 1	100%	16 X 1L	8,32	133,10
06-61-020B4L		4 X 4L	32,05	128,20	
06-61-020B60L		60L	429,40	429,40	
06-61-020B205L		205L	1354,80	1354,80	
06-61-520B1L	ULTRA ECO 5W20 API SN, ILSAC GF-5, DEXOS 1	100%	16 X 1L	8,32	133,10
06-61-520B4L		4 X 4L	32,05	128,20	
06-61-520B60L		60L	429,40	429,40	
06-61-520B205L		205L	1354,80	1354,80	
06-61-530PB1L	SYNTHETIC POWER 5W30 100% API SL/CF, ACEA A3/B4, A5/B5, MB 229.3/229.5, OPEL GM-LL-A/B-025, VW 502.00 / 505.00, RENAULT RN 0710/0700	100%	16 X 1L	8,02	128,30
06-61-530PB4L		4 X 4L	30,88	123,50	
06-61-530PB60L		60L	413,50	413,50	
06-61-530PB205L		205L	1304,60	1304,60	
06-61-540PBD1L	SYNTHETIC POWER 5W40 100% API SN/CF, ACEA A3/B4, MB 229.3, VW 502.00 / 505.00, OPEL GM-LL-A/B-025, RENAULT RN 0710 / 0700, PORSCHE A40, JASO MA2 (T903-2011)	100%	16 X 1L	8,02	128,30
06-61-540PBD4L		4 X 4L	30,88	123,50	
06-61-540PBD60L		60L	413,50	413,50	
06-61-540PBD205L		205L	1304,60	1304,60	
06-61-530VWB1L	SYNTHETIC POWER II 5W30 ACEA C3-08, MB 229.51, BMW LL-04, VW 504.00 / 507.00, PORSCHE C30	100%	16 X 1L	9,18	146,90
06-61-530VWB4L		4 X 4L	34,50	138,00	
06-61-530VWB60L		60L	515,20	515,20	
06-61-530VWB205L		205L	1702,40	1702,40	
06-61-530B1L	SYNTHETIC RACING 5W30 API SN, SM, CF, ACEA A3/B3-04, A3/B4-04, ACEA C3-10, MB 229.51 / 229.31, BMW Longlife-04, VW 502.00 / 505.00, dexos 2, ACEA A1/B1-04, A5/B5-04, ACEA C2-10, Renault RN0700	100%	16 X 1L	8,61	137,70
06-61-530B4L		4 X 4L	32,65	130,60	
06-61-530B18L		18L	140,10	140,10	
06-61-530B60L		60L	441,60	441,60	
06-61-530205L		205L	1412,80	1412,80	
06-61-540BD1L	SYNTHETIC RACING 5W40 API SN, SM, CF, ACEA A3/B3-04, A3/B4-04, ACEA C3-10, MB 229.51 / 229.31, BMW Longlife -04, VW 502.00 / 505.00, dexos 2, PORSCHE, Renault RN0700, Renault RN0710	100%	16 X 1L	8,61	137,70
06-61-540BD4L		4 X 4L	32,65	130,60	
06-61-540BD18L		18L	140,10	140,10	
06-61-540BD60L		60L	441,60	441,60	
06-61-540BD205L		205L	1412,80	1412,80	
06-61-1040SBD1L	100% SYNTHETIC RACING 10W40 API SN/CF, ACEA A3/B3, A3/B4, MB 229.1, VW 501.01/505.00, RN 0700	100%	16 X 1L	7,57	121,10
06-61-1040SBD4L		4 X 4L	29,08	116,30	
06-61-1040SBD18L		18L	133,00	133,00	
06-61-1040SBD60L		60L	391,80	391,80	
06-61-1040SBD205L		205L	1258,40	1258,40	
06-61-1040BD1L	SYNTHETIC 10W40 API SL/CF, ACEA A3/B3/B4, MB 229.1/228.1, VW 501.01/505.00	Se mi	16 X 1L	5,46	87,40
06-61-1040BD4L		4 X 4L	18,93	75,70	
06-61-1040BD18L		18L	85,50	85,50	
06-61-1040BD60L		60L	279,60	279,60	
06-61-1040BD205L		205L	885,20	885,20	
06-61-1550BD1L	SYNTHETIC 15W50 API SL/CF, ACEA A3/B3/B4, MB 229.1/228.1, VW 501.01/505.00	Se mi	16 X 1L	5,94	95,00
06-61-1550BD4L		4 X 4L	22,55	90,20	
06-61-1550BD60L		60L	320,50	320,50	
06-61-1550BD205L		205L	979,40	979,40	
06-61-2050B1L	RALLY 20W50 API SJ/CF/CF-4, ACEA A3/B3/E2, MB 229.1/228.1, VW 501.00/505.00	Min eral	16 X 1L	5,05	80,80
06-61-2050B4L		4 X 4L	19,00	76,00	
06-61-205B18L		18L	83,10	83,10	
06-61-2050B60L		60L	292,00	292,00	
06-61-2050B205L		205L	866,70	866,70	
06-61-1540B1L	TURBO 15W40 API SJ/CF/CF-4, ACEA A3/B3/E2, MB 229.1/228.1, VW 501.00/505.00	Min eral	16 X 1L	5,05	80,80
06-61-1540B4L		4 X 4L	19,00	76,00	
06-61-1540B18L		18L	83,10	83,10	
06-61-1540B60L		60L	292,00	292,00	
06-61-1540B205L		205L	866,70	866,70	

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ		
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ	
ΛΙΠΑΝΤΙΚΑ ΕΠΑΓΓΕΛΜΑΤΙΚΩΝ ΟΧΗΜΑΤΩΝ					
06-61-1040E5TD4L	EURO E - PLUS 10W40 MB 228.51, ACEA E9/E7/E6, API CI-4, MAN M3477, MTU TYPE 3.1, VOLVO VDS-3, RENAULT RXD, RENAULT RGD, Mack EO-M Plus, DEUTZ DQC III-05, CATERPILLAR ECF-1-a	Syn that	4 X 4L	35,03	140,10
06-61-1040E5TD18L			18L	146,00	146,00
06-61-1040E5TD60L			60L	498,60	498,60
06-61-1040E5TD205L			205L	1602,70	1602,70
06-61-1040E4TD4L	EURO D - PLUS 10W40 API CI-4, ACEA E4/E7-08, MB 228.5, MAN M3277, VOLVO VDS-3, MTU III, RENAULT RXD / RLD-2, Deutz IV-10, Mac k EO-M+, CUMMINS 20078, GLOBAL DHD-1, DETROIT DIESEL 93K215	Syn that	4 X 4L	32,65	130,60
06-61-1040E4TD18L			18L	134,20	134,20
06-61-1040E4TD60L			60L	460,60	460,60
06-61-1040E4TD205L			205L	1472,10	1472,10
06-61-1040 VTD4L	TURBO V SYNTHETIC 10W40 API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7-04, E5, E3, A3, B3, B4, MB 228.3, MAN M3275, VOLVO VDS-3, MACK EO-M Plus , CATERPILLAR ECF-1a, VW 501.00/505.00, ALLISON C4,MTU OT-2,	Syn that	4 X 4L	24,35	97,40
06-61-1040VTD18L			18L	105,70	105,70
06-61-1040VTD60L			60L	344,30	344,30
06-61-1040VTD205L			205L	1104,10	1104,10
06-61-2050VTD18L	TURBO V 20W50 API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7-04, E5, E3, A3, B3, B4, MB 228.3, MAN M3275, VOLVO VDS-3, MACK EO-M Plus, CATERPILLAR ECF-1a, VW 501.00/505.00, ALLISON C4,MTU OT-2	Min aral	18L	96,70	96,70
06-61-2050VTD60L			60L	319,20	319,20
06-61-2050VTD205L			205L	1018,00	1018,00
06-61-1540VTD18L	TURBO V 15W40 API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7-04, E5, E3, A3, B3, B4, MB 228.3, MAN M3275, VOLVO VDS-3, MACK EO-M Plus, CATERPILLAR ECF-1a, VW 501.00/505.00, ALLISON C4,MTU OT-2	Min aral	18L	96,70	96,70
06-61-1540VTD60L			60L	319,20	319,20
06-61-1540VTD205L			205L	1018,00	1018,00
06-61-2050TD1L	S.H.P.D 20W50 API CH-4/CG - 4/CF-4/CF/SL/SJ, ACEA E7/A3/B4, MB 228.3, MAN M3275, VOLVO VDS-2, ALLISON C4, MTU OT-2, MACK EO-M PLUS, CUMMINS CES 20076/20077, CATERPILLAR ECF-1a, RENAULT RD-2, DEUTZ DQC-II-05	Min aral	16 X 1L	5,90	94,40
06-61-2050TD4L			4 X 4L	22,38	89,50
06-61-2050TD18L			18L	91,90	91,90
06-61-2050TD60L			60L	302,40	302,40
06-61-2050TD205L			205L	967,70	967,70
06-61-1540TD1L	S.H.P.D 15W40 API CH-4/CG - 4/CF-4/CF/SL/SJ, ACEA E7/A3/B4, MB 228.3, MAN M3275, VOLVO VDS-2, ALLISON C4, MTU OT-2, MACK EO-M PLUS, CUMMINS CES 20076/20077, CATERPILLAR ECF-1a, RENAULT RD-2, DEUTZ DQC-II-05	Min aral	16 X 1L	5,79	92,60
06-61-1540TD4L			4 X 4L	21,98	87,90
06-61-1540TD18L			18L	90,20	90,20
06-61-1540TD60L			60L	296,80	296,80
06-61-1540TD205L			205L	949,80	949,80
06-61-2050D1L	TURBODIESEL 20W50 API CF/CF-4/SJ, MB 228.1, ACEA A3/B3/E2, MAN 270/1, MTU OT-2, VOLVO VDS, ALLISON C4	Min aral	16 X 1L	5,19	83,10
06-61-2050D4L			4 X 4L	20,18	80,70
06-61-2050D18L			18L	83,10	83,10
06-61-2050D60L			60L	292,10	292,10
06-61-2050D205L			205L	896,30	896,30
06-61-1540BD1L	TURBO 15W40 API CF/CF-4/SJ, MB 228.1, ACEA A3/B3/E2, MAN 270/1, MTU OT-2, VOLVO VDS, ALLISON C4	Min aral	16 X 1L	5,11	81,70
06-61-1540BD4L			4 X 4L	19,80	79,20
06-61-1540BD18L			18L	81,50	81,50
06-61-1540BD60L			60L	286,50	286,50
06-61-1540BD205L			205L	879,40	879,40

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ		
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ	
06-61-10WBD1L	HEAVY DUTY SAE 10W API SC / CC,MEL-L 2104B	Min oral	16 X 1L	4,16	66,50
06-61-10WBD4L			4 X 4L	16,03	64,10
06-61-10WBD18L			18L	73,60	73,60
06-61-10WBD60L			60L	263,60	263,60
06-61-10WBD205L			205L	783,60	783,60
06-61-30WBD1L	HEAVY DUTY SAE 30W API SC / CC,MIL-L 2104B	Min oral	16 X 1L	4,16	66,50
06-61-30WBD4L			4 X 4L	16,03	64,10
06-61-30WBD18L			18L	73,60	73,60
06-61-30WBD60L			60L	263,60	263,60
06-61-30WBD205L			205L	783,60	783,60
06-61-40WBD1L	HEAVY DUTY SAE 40W API SC / CC,MIL-L 2104B	Min oral	16 X 1L	4,08	65,20
06-61-40WBD4L			4 X 4L	15,73	62,90
06-61-40WBD18L			18L	72,20	72,20
06-61-40WBD60L			60L	258,60	258,60
06-61-40WBD205L			205L	768,80	768,80
06-61-30WPTD1L	POWER TRUCK S-3 30 API CF-2 / CF/SF, ACEA E2, MB 228.0, MAN 270, MTU OT-1, Kolomna M-14D2	Min oral	16 X 1L	4,83	77,20
06-61-30WPTD4L			4 X 4L	18,40	73,60
06-61-30WPTD18L			18L	76,00	76,00
06-61-30WPTD60L			60L	270,70	270,70
06-61-30PTD205L			205L	797,90	797,90
06-61-40WPTD1L	POWER TRUCK S-3 40 API CF-2 / CF/SF, ACEA E2, MB 228.0, MAN 270, MTU OT-1, Kolomna M-14D2	Min oral	16 X 1L	4,74	75,80
06-61-40WPTD4L			4 X 4L	18,05	72,20
06-61-40WPTD18L			18L	74,50	74,50
06-61-40WPTD60L			60L	265,60	265,60
06-61-40PTD205L			205L	797,90	797,90

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
ΒΑΛΒΟΛΙΝΕΣ				
06-61-7590VGL5-1L	GEAR PLUS SYNTHETIC 75W90 GL-5 API GL-5, MIL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	16 X 1L	9,08	145,20
06-61-7590VGL5-18L		18L	143,90	143,90
06-61-7590VGL5-60L		60L	488,70	488,70
06-61-7590VGL5-205L		205L	1526,50	1526,50
06-61-7590VGLS-1L	GEAR PLUS SYNTHETIC 75W90 LS	16 X 1L	8,61	137,80
06-61-7590VGLS-18L		18L	148,80	148,80
06-61-7590VGLS-60L		60L	508,00	508,00
06-61-7590VGLS-205L		205L	1599,10	1599,10
06-61-7585VGL5-1L	GEAR PLUS SYNTHETIC 75W85 GL-5 API GL-5	16 X 1L	13,66	218,60
06-61-7580VGL5-1L	GEAR PLUS SYNTHETIC 75W80 GL-5 API GL-5, MIL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	16 X 1L	7,86	125,80
06-61-7580VGL5-18L		18L	136,70	136,70
06-61-7580VGL5-60L		60L	459,60	459,60
06-61-7580VGL5-205L		205L	1451,50	1451,50
06-61-8090VGL5-1L	GEAR PLUS 80W90 GL-5 API GL-5, MIL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	16 X 1L	5,90	94,40
06-61-8090VGL5-4L		4 X 4L	23,28	93,10
06-61-8090VGL5-18L		18L	98,00	98,00
06-61-8090VGL5-60L		60L	321,80	321,80
06-61-8090VGL5-205L		205L	1028,20	1028,20
06-61-8090VGL4-1L	GEAR PLUS 80W90 GL-4 API GL-4, MIL-L-2105D, CS 3000A	16 X 1L	5,90	94,40
06-61-8090VGL4-4L		4 X 4L	20,58	82,30
06-61-8090VGL4-18L		18L	88,30	88,30
06-61-8090VGL4-60L		60L	308,40	308,40
06-61-8090VGL4-205L		205L	913,20	913,20
06-61-8090VGLS-1L	GEAR PLUS 80W90 LS	16 X 1L	6,17	98,70
06-61-8090VGLS-18L		18L	104,00	104,00
06-61-8090VGLS-60L		60L	345,90	345,90
06-61-8090VGLS-205L		205L	1112,80	1112,80
06-61-75140VGL5-1L	GEAR PLUS SYNTHETIC 75W140 GL-5 API GL-5, MEL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	16 X 1L	9,60	185,80
06-61-75GL4-1L	GEAR PLUS 75W GL-4 BMW MTF LT-3, VW/AUDI G060726A2, TOYOTA 08885-81081, PSA 9730A8 API GL-4	16 X 1L	9,10	163,10
06-61-80VGL5-18L	VALVO SAE 80 GL-5 API GL-5, MIL-L-2105D, MAN 342N	18L	94,30	94,30
06-61-80VGL5-60L		60L	314,50	314,50
06-61-80VGL5-205L		205L	1011,20	1011,20
06-61-90VGL5-18L	VALVO SAE 90 GL-5 API GL-5, MIL-L-2105D, MAN 342N	18L	94,30	94,30
06-61-90VGL5-60L		60L	314,50	314,50
06-61-90VGL5-205L		205L	1011,20	1011,20
06-61-90VGLS-1L	VALVO SAE 90W GL-5 LS	16 X 1L	5,00	96,80
06-61-90VGLS-18L		18L	82,00	99,20
06-61-90VGLS-60L		60L	277,00	335,10
06-61-90VGLS-205L		205L	900,00	1088,60

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
06-61-80VGL4-4L	VALVO SAE 80 GL-4 API GL-4 MIL-L-2105 CS-3000A	4 X 4L	19,95	79,80
06-61-80VGL4-18L		18L	84,70	84,70
06-61-80VGL4-60L		60L	300,00	300,00
06-61-80VGL4-205L		205L	899,90	899,90
06-61-90VGL4-4L	VALVO SAE 90 GL-4 API GL-4 MIL-L-2105 CS-3000A	4 X 4L	19,95	79,80
06-61-90VGL4-18L		18L	84,70	84,70
06-61-90VGL4-60L		60L	300,00	300,00
06-61-90VGL4-205L		205L	899,90	899,90
06-61-90VGL1-1L	VALVO SAE 90 GL-1 API GL-1	16 X 1L	4,69	75,10
06-61-90VGL1-4L		4 X 4L	17,55	70,20
06-61-90VGL1-18L		18L	75,00	75,00
06-61-90VGL1-60L		60L	277,00	277,00
06-61-90VGL1-205L		205L	798,30	798,30
06-61-85140VPL5-18L	GEAR PLUS 85W140 GL-5 API GL-5, MIL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	18L	96,80	96,80
06-61-85140VPL5-60L		60L	329,00	329,00
06-61-85140VPL5-205L		205L	974,40	974,40
06-61-140VGL5-18L	VALVO SAE 140 GL-5 API GL-5, MIL-L-2105D, MAN 342N	18L	96,80	96,80
06-61-140VGL5-60L		60L	329,00	329,00
06-61-140VGL5-205L		205L	974,40	974,40
06-61-140VGL4-18L	VALVO SAE 140 GL-4 API GL-4 MIL-L-2105 CS-3000A	18L	84,70	84,70
06-61-140VGL4-60L		60L	308,40	308,40
06-61-140VGL4-205L		205L	913,20	913,20
06-61-140VGL1-1L	VALVO SAE 140 GL-1 API GL-1	16 X 1L	4,91	78,50
06-61-140VGL1-4L		4 X 4L	16,03	64,10
06-61-140VGL1-18L		18L	76,00	76,00
06-61-140VGL1-60L		60L	280,20	280,20
06-61-140VGL1-205L		205L	813,20	813,20
ΛΙΠΑΝΤΙΚΑ ΑΥΤΟΜΑΤΩΝ ΚΙΒΩΤΙΩΝ				
06-61-ATFVI1L	AUTOMATIC TRANSMISSION FLUID DEXRON VI GM DEXRON VI, GM DEXRON II & III, ALLISON C - 4	16 X 1L	7,56	121,00
06-61-ATFVI1L		4 X 4L	34,48	137,90
06-61-ATFVI18L		18L	133,10	133,10
06-61-ATFVI60L		60L	465,70	465,70
06-61-ATFVI205L		205L	1439,40	1439,40
06-61-ATFCVT1L	AUTOMATIC TRANSMISSION FLUID CVT TOYOTA CVTF TC, TOYOTA CVTF FE, NISSAN NS-1, NISSAN NS-2, HONDA HMMF, HONDA HCF2, MITSUBISHI SP-III, MITSUBISHI CVTF-J1, SUBARU ECVT, SUBARU ICVT, DAIHATSU AMMIX CVT, SUZUKI CVTF TC, SUZUKI NS-2, SUZUKI CVT GREEN 1, HYUNDAI SP-III, CHRYSLER JEEP NS-2, MENE COOPER EZL 799	16 X 1L	9,23	147,70
06-61-ATFCVT4L		4 X 4L	35,68	142,70
06-61-ATFCVT18L		18L	141,50	141,50
06-61-ATFCVT60L		60L	471,70	471,70
06-61-ATFCVT205L		205L	1542,20	1542,20
06-61-ATF1L	AUTOMATIC TRANSMISSION FLUID GM DEXRON IID & IIIG, MB 236.1, 236.5, MAN 339 Z-1 & V-1, ALLISON C-4, FORD MERCON, CATERPILLAR TO-2, ZF TE-ML 11B/14A/17C	16 X 1L	6,44	103,00
06-61-ATF4L		4 X 4L	24,80	99,20
06-61-ATF18L		18L	105,20	105,20
06-61-ATF60L		60L	372,60	372,60
06-61-ATF205L		205L	1124,90	1124,90
ΛΙΠΑΝΤΙΚΑ ΥΔΡΑΥΛΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ				
06-61-32H18L	HYDRAULIC ISO 32 DIN 51524, part 2 an d 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L	69,90	69,90
06-61-32H60L		60L	238,80	238,80
06-61-32H205L		205L	698,90	698,90
06-61-46H18L	HYDRAULIC ISO 46 DIN 51524, part 2 an d 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L	69,90	69,90
06-61-46H60L		60L	238,80	238,80
06-61-46H205L		205L	698,90	698,90
06-61-68H18L	HYDRAULIC ISO 68 DIN 51524, part 2 an d 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L	69,90	69,90
06-61-68H60L		60L	238,80	238,80
06-61-68H205L		205L	698,90	698,90
06-61-100HY18L	HYDRAULIC ISO 100 DIN 51524, part 2 an d 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L	69,90	69,90
06-61-100HY60L		60L	238,80	238,80
06-61-100HY205L		205L	698,90	698,90

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚΕΥΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚΕΥΙΑΣ
ΓΡΑΣΣΑ				
06-61-GICHG3-1L	GREASE CALCIUM NLGI-3	24 X 1L	4,89	117,40
06-61-GICHG3-4L		4L	16,00	79,00
06-61-GICHG3-16L		16L	77,80	77,80
06-61-GICHG3-50L		50L	228,40	228,40
06-61-GICHG3-180L		180L	814,90	814,90
06-61-GICAL2-4K	GREASE CALCIUM NLGI-2	4L	22,55	90,20
06-61-GICAL2-16K		16L	85,50	85,50
06-61-GICAL2-180K		180L	783,60	783,60
06-61-GLHBG2-4L	ΓΡΑΣΟ ΛΙΘΙΟΥ Blue NLGI-G2	4L	41,13	164,50
06-61-GLHBG2-16L		16L	113,70	113,70
06-61-GLHBG2-180L		180L	1474,40	1474,40
06-61-GLHBG3-4L	ΓΡΑΣΟ ΛΙΘΙΟΥ Blue NLGI-G3	4L	41,13	164,50
06-61-GLHBG3-16L		16L	113,70	113,70
06-61-GLHBG3-180L		180L	1474,40	1474,40
06-61-GILHG2-1L	GREASE LITHIUM NLGI-2	24 X 1L	6,12	146,80
06-61-GILHG2-4L		4L	29,13	116,50
06-61-GILH1G2-16L		16L	97,40	97,40
06-61-GILHG2-50L		50L	311,10	311,10
06-61-GILHG2-180L		180L	1092,20	1092,20
06-61-GILHG3-1L	GREASE LITHIUM NLGI-3	24 X 1L	6,24	149,70
06-61-GILHG3-4L		4L	30,88	123,50
06-61-GILHG3-16L		16L	97,40	97,40
06-61-GILHG3-50L		50L	311,10	311,10
06-61-GILHG3-180L		180L	1092,20	1092,20
06-61-GLH-1L	GREASE LITHIUM NLGI-00EP	24 X 1L	5,83	139,80
06-61-GLH-4L		4L	23,75	95,00
06-61-GLH-16L		16L	89,70	89,70
06-61-GLH-50L		50L	274,90	274,90
06-61-GLH-180L		180L	1001,70	1001,70
06-61-GLMH-1L	GREASE LITHIUM MOS2	24 X 1L	7,27	174,40
06-61-GLMH-4L		4L	33,55	134,20
06-61-GLMH-16L		16L	104,80	104,80
06-61-GLMH-50L		50L	330,80	330,80
06-61-GLHM-180L		180L	1181,10	1181,10
ΛΙΠΑΝΤΙΚΑ ΕΞΩΛΕΜΒΙΩΝ (OUTBOARD)				
06-61-2THOB1L	OUTBOARD 2T NMMA TC-W3	16 X 1L	8,61	137,80
06-61-2THOB18L		18L	142,50	142,50
ΛΙΠΑΝΤΙΚΑ ΓΕΩΡΓΙΚΩΝ ΜΗΧΑΝΗΜΑΤΩΝ				
06-61-1030T1L	TRACTOR 10W30 JOHN DEERE, J20C, J27, FORD M2C 159B M2C 134D, MASSEY FERGUSON CMS M1145 & M1135, M1144 & M1139, NEW HOLLAND 82009201/2/3, MAT 3525 & 3526, API GL-4, ZF TE ML 06C, 07B, ALLISON C-4, CATERPILLAR TO-2	4 X 4L	23,75	95,00
06-61-1030T18L		18L	100,90	100,90
06-61-1030T60L		60L	356,20	356,20
06-61-1030T205L		205L	1068,50	1068,50
06-61-2040T18L	SUPER TRACTOR OIL UNIVERSAL 20w40 JOHN DEERE, J20C, JDM J27, FORD M2C -159B, M2C 86A & 134C, MASSEY FERGUSON M1135, M1127, M1139, ALLISON C-4, CATERPILLAR TO-2, API GL-4, ZF TE - ML 06C, 07B, API CG-4, API SF, CCMC D4, MB 227.1, MAN 271, ACEA E3	18L	83,10	83,10
06-61-2040T60L		60L	302,70	302,70
06-61-2040T205L		205L	896,30	896,30

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
ΛΙΠΑΝΤΙΚΑ ΒΙΟΜΗΧΑΝΙΑΣ				
06-61-100H-18L	INDUSTRIAL ISO 100	18L	79,20	79,20
06-61-100H-60L	DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM	60L	284,20	284,20
06-61-100H-205L	D665 B) GARDNER DENVER	205L	838,60	838,60
06-61-150H-18L	INDUSTRIAL ISO 150	18L	82,30	82,30
06-61-150H-60L	DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM	60L	295,10	295,10
06-61-150H-205L	D665 B) GARDNER DENVER	205L	870,90	870,90
06-61-220H-18L	INDUSTRIAL ISO 220	18L	80,70	80,70
06-61-220H-60L	DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM	60L	289,70	289,70
06-61-220H-205L	D665 B) GARDNER DENVER	205L	854,80	854,80
06-61-320H-18L	INDUSTRIAL ISO 320	18L	80,70	80,70
06-61-320H-60L	DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM	60L	289,70	289,70
06-61-320H-205L	D665 B) GARDNER DENVER	205L	854,80	854,80
06-61-LEFT-18L	LIFT-50	18L	82,30	82,30
06-61-LEFT-60L		60L	300,00	300,00
06-61-LEFT-205L		205L	883,00	883,00
06-61-TTH-18L	TRANS THERM	18L	73,60	73,60
06-61-TTH-60L		60L	270,70	270,70
06-61-TTH-205L		205L	783,60	783,60
06-61-VOX32H-18L	VOXULA 32	18L	82,30	82,30
06-61-VOX32H-60L	DIN 51517 PART 3, FZG GEAR TEST STAGE 12, EP 135B	60L	300,00	300,00
06-61-VOX32H-205L	(ASTM D665 B) GARDNER DENVER	205L	883,00	883,00
06-61-VOX100H-18L	VOXULA 100	18L	82,30	82,30
06-61-VOX100H-60L	DIN 51517 PART 3, FZG GEAR TEST STAGE 12, EP 135B	60L	300,00	300,00
06-61-VOX100H-205L	(ASTM D665 B) GARDNER DENVER	205L	883,00	883,00
06-61-VOXA32H-18L	VOXANA T32	18L	91,90	91,90
06-61-VOXA32H-60L	DIN 51524 T2 HLP, DIN 51517 CLP	60L	314,50	314,50
06-61-VOXA32H-205L		205L	943,50	943,50
06-61-VOXA68H-18L	VOXANA T68	18L	91,90	91,90
06-61-VOXA68H-60L	DIN 51524 T2 HLP, DIN 51517 CLP	60L	314,50	314,50
06-61-VOXA68H-205L		205L	943,50	943,50
06-61-VOXA220H-18L	VOXANA T220	18L	91,90	91,90
06-61-VOXA220H-60L	DIN 51524 T2 HLP, DIN 51517 CLP	60L	314,50	314,50
06-61-VOXA220H-205L		205L	943,50	943,50
06-61-SOR46H-18L	SORELA P46	18L	96,80	96,80
06-61-SOR46H-60L	DIN 51506 VDL	60L	356,80	356,80
06-61-SOR46H-205L		205L	1052,40	1052,40
06-61-SOR68H-18L	SORELA P68	18L	96,80	96,80
06-61-SOR68H-60L	DIN 51506 VDL	60L	356,80	356,80
06-61-SOR68H-205L		205L	1052,40	1052,40
06-61-SOR100-H18L	SORELA P100	18L	96,80	96,80
06-61-SOR100-H60L	DIN 51506 VDL	60L	356,80	356,80
06-61-SOR100H-205L		205L	1052,40	1052,40
06-61-SOR150H-18L	SORELA P150	18L	96,80	96,80
06-61-SOR150-H60L	DIN 51506 VDL	60L	356,80	356,80
06-61-SOR150H-205L		205L	1052,40	1052,40
ΔΙΑΦΟΡΑ				
	BRAKE FLUID DOT 4 (40x220gr)	40 X 220gr	1,85	73,90
	DOT 4, SAE J 1703			

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
ΑΝΤΙΨΥΚΤΙΚΑ & ΑΝΤΙΘΕΡΜΙΚΑ				
ELGI2-1.5L	ELGINE PREMIUM ANTIFREEZE G12+ -76°C ΣΥΜΠΥΚΝΩΜΕΝΟ	12 X 1,5L	8,70	104,40
ELGI2-15L	ASTM D3306 (USA) ASTM D4656 (USA) ASTM D4985 (USA) BS 6580: 1992 (UK) AFNOR NF R15-601 (France)* AS 2108 (Australia), SAE J 1034 , FFV Heft R443CUNA NC 956-16, UNE 26361-88, NATO S 759 *except for reserve alkalinity	18L	89,60	89,60
ELGI2-205L	Ford WSS-M97B44-D, Mercedes-Benz 325.3, Renault 41-01-001, General Motors GM 6277M, Volkswagen VAG TL 774 D & F, MAN 324 SNF, Mazda, Volvo	205L	1048,30	1048,30
ELGI2P-1L	ELGINE ΠΑΡΑΦΛΟΥ G12+ -25°C + 147°C ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ	16 X 1L	4,20	67,20
ELGI2P-4L	ASTM D3306 (USA) ASTM D4656 (USA) ASTM D4985 (USA) BS 6580: 1992 (UK) AFNOR NF R15-601 (France)* AS 2108 (Australia), SAE J 1034 , FFV Heft R443CUNA NC 956-16, UNE 26361-88, NATO S 759 *except for reserve alkalinity	4 X 4L	13,90	55,60
ELGI2P-18L	Ford WSS-M97B44-D, Mercedes-Benz 325.3, Renault 41-01-001, General Motors GM 6277M, Volkswagen VAG TL 774 D & F, MAN 324 SNF, Mazda, Volvo	18L	58,60	52,30
ELGI2P-205L		205L	548,80	548,80
ELGI2P20-4L	ELGINE ΠΑΡΑΦΛΟΥ G12+ -20°C ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ	4 X 4L	10,10	40,40
EL000941	ΕΛΙΑ ΠΑΡΑΦΛΟΥ G11 -25 C + 106 C ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ	16 X 1L	3,48	55,68
EL000945		4 X 5L	13,92	55,68
EL000947		205L	491,84	491,84
ELFLU20-4L	ΕΛΙΑ ΠΑΡΑΦΛΟΥ G11 -20°C ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ	4 X 4L	7,60	30,40