

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
ΛΙΠΑΝΤΙΚΑ ΒΕΝΖΙΝΟΚΙΝΗΤΗΡΩΝ / ΕΛΑΦΡΩΝ DIESEL				
06-61-020B1L	ULTRA ECO 0W20 API SN, ILSAC GF-5, DEXOS 1	100% 16 X 1L	8,80	140,80
06-61-020B4L		4 X 4L	34,00	136,00
06-61-020B60L		60L	456,00	456,00
06-61-020B205L		205L	1438,80	1438,80
06-61-520B1L	ULTRA ECO 5W20 API SN, ILSAC GF-5, DEXOS 1	100% 16 X 1L	8,80	140,80
06-61-520B4L		4 X 4L	34,00	136,00
06-61-520B60L		60L	456,00	456,00
06-61-520B205L		205L	1438,80	1438,80
06-61-530PB1L	SYNTHETIC POWER 5W30 100% API SL/CF, ACEA A3/B4, A5/B5, MB 229.3/229.5, OPEL GM-LL-A/B-025, VW 502.00 / 505.00, RENAULT RN 0710/0700	100% 16 X 1L	8,50	136,00
06-61-530PB4L		4 X 4L	32,80	131,20
06-61-530PB60L		60L	439,10	439,10
06-61-530PB205L		205L	1385,50	1385,50
06-61-540PBD1L	SYNTHETIC POWER 5W40 100% API SN/CF, ACEA A3/B4, MB 229.3, VW 502.00 / 505.00, OPEL GM-LL-A/B-025, RENAULT RN 0710 / 0700, PORSCHE A40, JASO MA2 (T903-2011)	100% 16 X 1L	8,50	136,00
06-61-540PBD4L		4 X 4L	32,80	131,20
06-61-540PBD60L		60L	439,10	439,10
06-61-540PBD205L		205L	1385,50	1385,50
06-61-530VWB1L	SYNTHETIC POWER II 5W30 ACEA C3-08, MB 229.51, BMW LL-04, VW 504.00 / 507.00, PORSCHE C30	100% 16 X 1L	9,70	155,20
06-61-530VWB4L		4 X 4L	36,60	146,40
06-61-530VWB60L		60L	547,10	547,10
06-61-530VWB205L		205L	1807,90	1807,90
06-61-530B1L	SYNTHETIC RACING 5W30 API SN, SM, CF, ACEA A3/B3-04, A3/B4-04, ACEA C3-10, MB 229.51 / 229.31, BMW Longlife-04, VW 502.00 / 505.00, dexos 2, ACEA A1/B1-04, A5/B5-04, ACEA C2-10, Renault RN0700	100% 16 X 1L	9,10	145,60
06-61-530B4L		4 X 4L	34,70	138,80
06-61-530B18L		18L	148,80	148,80
06-61-530B60L		60L	469,00	469,00
06-61-530B205L		205L	1500,40	1500,40
06-61-540BD1L	SYNTHETIC RACING 5W40 API SN, SM, CF, ACEA A3/B3-04, A3/B4-04, ACEA C3-10, MB 229.51 / 229.31, BMW Longlife -04, VW 502.00 / 505.00, dexos 2, PORSCHE, Renault RN0700, Renault RN0710	100% 16 X 1L	9,10	145,60
06-61-540BD4L		4 X 4L	34,70	138,80
06-61-540BD18L		18L	148,80	148,80
06-61-540BD60L		60L	469,00	469,00
06-61-540BD205L		205L	1500,40	1500,40
06-61-1040SBD1L	100% SYNTHETIC RACING 10W40 API SN/CF, ACEA A3/B3, A3/B4, MB 229.1, VW 501.01/505.00, RN 0700	100% 16 X 1L	8,70	139,20
06-61-1040SBD4L		4 X 4L	33,40	133,60
06-61-1040SBD18L		18L	152,50	152,50
06-61-1040SBD60L		60L	449,50	449,50
06-61-1040SBD205L		205L	1443,50	1443,50
06-61-1040BD1L	SYNTHETIC 10W40 API SL/CF, ACEA A3/B3/B4, MB 229.1/228.1, VW 501.01/505.00	Se mi 16 X 1L	6,30	100,80
06-61-1040BD4L		4 X 4L	22,00	88,00
06-61-1040BD18L		18L	98,10	98,10
06-61-1040BD60L		60L	321,00	321,00
06-61-1040BD205L		205L	1015,00	1015,00
06-61-1550BD1L	SYNTHETIC 15W50 API SL/CF, ACEA A3/B3/B4, MB 229.1/228.1, VW 501.01/505.00	Se mi 16 X 1L	6,30	100,80
06-61-1550BD4L		4 X 4L	23,90	95,60
06-61-1550BD18L		18L	93,30	1679,40
06-61-1550BD60L		60L	340,40	340,40
06-61-1550BD205L		205L	1040,10	1040,10
06-61-2050B1L	RALLY 20W50 API SJ/CF/CF-4, ACEA A3/B3/E2, MB 229.1/228.1, VW 501.00/505.00	Min eral 16 X 1L	5,85	93,60
06-61-2050B4L		4 X 4L	21,85	87,40
06-61-205B18L		18L	95,50	95,50
06-61-2050B205L		205L	995,00	995,00
06-61-1540B1L	TURBO 15W40 API SJ/CF/CF-4, ACEA A3/B3/E2, MB 229.1/228.1, VW 501.00/505.00	Min eral 16 X 1L	5,85	93,60
06-61-1540B4L		4 X 4L	21,85	87,40
06-61-1540B18L		18L	95,50	95,50
06-61-1540B60L		60L	335,00	335,00
06-61-1540B205L		205L	994,10	994,10

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ		
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ	
ΛΙΠΑΝΤΙΚΑ ΕΠΑΓΓΕΛΜΑΤΙΚΩΝ ΟΧΗΜΑΤΩΝ					
06-61-1040E5TD4L	EURO E - PLUS 10W40	Syn that	4 X 4L	37,20	148,80
06-61-1040E5TD18L	MB 228.51, ACEA E9/E7/E6, API CI-4, MAN M3477, MTU TYPE 3.1,		18L	155,10	155,10
06-61-1040E5TD60L	VOLVO VDS-3, RENAULT RXD, RENAULT RGD, Mack EO-M Plus,		60L	529,50	529,50
06-61-1040E5TD205L	DEUTZ DQC III-05, CATERPILLAR ECF-1-a		205L	1702,10	1702,10
06-61-1040E4TD4L	EURO D - PLUS 10W40	Syn that	4 X 4L	34,70	138,80
06-61-1040E4TD18L	API CI-4, ACEA E4/E7-08, MB 228.5, MAN M3277, VOLVO VDS-3,		18L	142,50	142,50
06-61-1040E4TD60L	MTU III, RENAULT RXD / RLD-2, Deutz IV-10, Mac k EO-M+,		60L	489,20	489,20
06-61-1040E4TD205L	CUMMINS 20078, GLOBAL DHD-1, DETROIT DIESEL 93K215		205L	1563,40	1563,40
06-61-1040 VTD4L	TURBO V SYNTHETIC 10W40	Syn that	4 X 4L	25,90	103,60
06-61-1040VTD18L	API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7-04, E5, E3, A3, B3, B4,		18L	112,30	112,30
06-61-1040VTD60L	MB 228.3, MAN M3275, VOLVO VDS-3, MACK EO-M Plus ,		60L	365,60	365,60
06-61-1040VTD205L	CATERPILLAR ECF-1a, VW 501.00/505.00, ALLISON C4,MTU OT-2,		205L	1172,60	1172,60
06-61-2050VTD18L	TURBO V 20W50	Min eral	18L	111,00	111,00
06-61-2050VTD60L	API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7-04, E5, E3, A3, B3, B4,		60L	366,20	366,20
06-61-2050VTD205L	MB 228.3, MAN M3275, VOLVO VDS-3, MACK EO-M Plus, CATERPILLAR ECF-1a, VW 501.00/505.00, ALLISON C4,MTU OT-2		205L	1167,60	1167,60
06-61-1540VTD18L	TURBO V 15W40	Min eral	18L	111,00	111,00
06-61-1540VTD60L	API CI-4/CH-4/CG-4/CF-4/SL, ACEA E7-04, E5, E3, A3, B3, B4,		60L	366,20	366,20
06-61-1540VTD205L	MB 228.3, MAN M3275, VOLVO VDS-3, MACK EO-M Plus, CATERPILLAR ECF-1a, VW 501.00/505.00, ALLISON C4,MTU OT-2		205L	1167,60	1167,60
06-61-2050TD1L	S.H.P.D 20W50	Min eral	16 X 1L	6,80	108,80
06-61-2050TD4L	API CH-4/CG - 4/CF-4/CF/SL/SJ, ACEA E7/A3/B4, MB 228.3, MAN		4 X 4L	25,70	102,80
06-61-2050TD18L	M3275, VOLVO VDS-2, ALLISON C4, MTU OT-2, MACK EO-M PLUS,		18L	105,50	105,50
06-61-2050TD60L	CUMMINS CES 20076/20077, CATERPILLAR ECF-1a, RENAULT RD-2,		60L	346,80	346,80
06-61-2050TD205L	DEUTZ DQC-II-05		205L	1110,00	1110,00
06-61-1540TD1L	S.H.P.D 15W40	Min eral	16 X 1L	6,60	105,60
06-61-1540TD4L	API CH-4/CG - 4/CF-4/CF/SL/SJ, ACEA E7/A3/B4, MB 228.3, MAN		4 X 4L	25,20	100,80
06-61-1540TD18L	M3275, VOLVO VDS-2, ALLISON C4, MTU OT-2, MACK EO-M PLUS,		18L	103,50	103,50
06-61-1540TD60L	CUMMINS CES 20076/20077, CATERPILLAR ECF-1a, RENAULT RD-2,		60L	340,50	340,50
06-61-1540TD205L	DEUTZ DQC-II-05		205L	1090,00	1090,00
06-61-2050D1L	TURBODIESEL 20W50	Min eral	16 X 1L	5,95	95,20
06-61-2050D4L	API CF/CF-4/SJ, MB 228.1, ACEA A3/B3/E2, MAN 270/1, MTU OT-2,		4 X 4L	23,15	92,60
06-61-2050D18L	VOLVO VDS, ALLISON C4		18L	95,50	95,50
06-61-2050D60L			60L	335,00	335,00
06-61-2050D205L			205L	1028,50	1028,50
06-61-1540BD1L	TURBODIESEL 15W40	Min eral	16 X 1L	5,85	93,60
06-61-1540BD4L	API CF/CF-4/SJ, MB 228.1, ACEA A3/B3/E2, MAN 270/1, MTU OT-2,		4 X 4L	22,70	90,80
06-61-1540BD18L	VOLVO VDS, ALLISON C4		18L	93,55	93,55
06-61-1540BD60L			60L	328,70	328,70
06-61-1540BD205L			205L	1008,65	1008,65

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ		
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ	
06-61-10WBD1L	HEAVY DUTY SAE 10W API SC / CC,MEL-L 2104B	Min eral	16 X 1L	4,40	70,40
06-61-10WBD4L			4 X 4L	17,00	68,00
06-61-10WBD18L			18L	78,20	78,20
06-61-10WBD60L			60L	279,90	279,90
06-61-10WBD205L			205L	832,20	832,20
06-61-30WBD1L	HEAVY DUTY SAE 30W API SC / CC,MIL-L 2104B	Min eral	16 X 1L	4,40	70,40
06-61-30WBD4L			4 X 4L	17,00	68,00
06-61-30WBD18L			18L	78,20	78,20
06-61-30WBD60L			60L	279,90	279,90
06-61-30WBD205L			205L	832,20	832,20
06-61-40WBD1L	HEAVY DUTY SAE 40W API SC / CC,MIL-L 2104B	Min eral	16 X 1L	4,30	68,80
06-61-40WBD4L			4 X 4L	16,70	66,80
06-61-40WBD18L			18L	76,70	76,70
06-61-40WBD60L			60L	274,60	274,60
06-61-40WBD205L			205L	816,50	816,50
06-61-30WPTD1L	POWER TRUCK S-3 30 API CF-2 / CF/SF, ACEA E2, MB 228.0, MAN 270, MTU OT-1, Kolomna M-14D2	Min eral	16 X 1L	5,10	81,60
06-61-30WPTD4L			4 X 4L	19,50	78,00
06-61-30WPTD18L			18L	80,70	80,70
06-61-30WPTD60L			60L	287,50	287,50
06-61-30PTD205L			205L	863,70	863,70
	10W (18L ,60L, 205L)				
06-61-40WPTD1L	POWER TRUCK S-3 40 API CF-2 / CF/SF, ACEA E2, MB 228.0, MAN 270, MTU OT-1, Kolomna M-14D2	Min eral	16 X 1L	5,00	80,00
06-61-40WPTD4L			4 X 4L	19,20	76,80
06-61-40WPTD18L			18L	79,10	79,10
06-61-40WPTD60L			60L	282,10	282,10
06-61-40PTD205L			205L	847,40	847,40
	10W (18L ,60L, 205L)				

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
ΒΑΛΒΟΛΙΝΕΣ				
06-61-7590VGL5-1L	GEAR PLUS SYNTHETIC 75W90 GL-5 API GL-5, MIL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	16 X 1L	9,60	153,60
06-61-7590VGL5-18L		18L	152,80	152,80
06-61-7590VGL5-60L		60L	519,00	519,00
06-61-7590VGL5-205L		205L	1621,10	1621,10
06-61-7590VGLS-1L	GEAR PLUS SYNTHETIC 75W90 LS	16 X 1L	9,10	145,60
06-61-7590VGLS-18L		18L	158,00	158,00
06-61-7590VGLS-60L		60L	539,50	539,50
06-61-7590VGLS-205L		205L	1698,20	1698,20
06-61-7585VGL5-1L	GEAR PLUS SYNTHETIC 75W85 GL-5 API GL-5	16 X 1L	14,50	232,00
06-61-7580VGL5-1L	GEAR PLUS SYNTHETIC 75W80 GL-5 API GL-5, MIL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	16 X 1L	8,30	132,80
06-61-7580VGL5-18L		18L	145,20	145,20
06-61-7580VGL5-60L		60L	488,10	488,10
06-61-7580VGL5-205L		205L	1541,50	1541,50
06-61-8090VGL5-1L	GEAR PLUS 80W90 GL-5 API GL-5, MIL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	16 X 1L	6,30	100,80
06-61-8090VGL5-4L		4 X 4L	24,70	98,80
06-61-8090VGL5-18L		18L	104,10	104,10
06-61-8090VGL5-60L		60L	341,80	341,80
06-61-8090VGL5-205L		205L	1091,90	1091,90
06-61-8090VGL4-1L	GEAR PLUS 80W90 GL-4 API GL-4, MIL-L-2105D, CS 3000A	16 X 1L	6,30	100,80
06-61-8090VGL4-4L		4 X 4L	21,90	87,60
06-61-8090VGL4-18L		18L	93,80	93,80
06-61-8090VGL4-60L		60L	327,50	327,50
06-61-8090VGL4-205L		205L	969,80	969,80
06-61-8090VGLS-1L	GEAR PLUS 80W90 LS	16 X 1L	6,60	105,60
06-61-8090VGLS-18L		18L	127,30	127,30
06-61-8090VGLS-60L		60L	367,40	367,40
06-61-8090VGLS-205L		205L	1181,80	1181,80
06-61-75140VGL5-1L	GEAR PLUS SYNTHETIC 75W140 GL-5 API GL-5, MEL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E,16D, 19B	16 X 1L	10,20	163,20
06-61-75GL4-1L	GEAR PLUS 75W GL-4 BMW MTF LT-3, VW/AUDI G060726A2, TOYOTA 08885-81081, PSA 9730A8 API GL-4	16 X 1L	9,70	155,20
	VALVO SAE 80 GL-5 API GL-5, MIL-L-2105D, MAN 342N	18L		
		60L		
		205L		
06-61-90VGL5-18L	VALVO SAE 90 GL-5 API GL-5, MIL-L-2105D, MAN 342N	18L	100,10	100,10
06-61-90VGL5-60L		60L	334,00	334,00
06-61-90VGL5-205L		205L	1073,90	1073,90
06-61-90VGLS-1L	VALVO SAE 90W GL-5 LS	16 X 1L	6,40	102,40
06-61-90VGLS-18L		18L	105,30	105,30
06-61-90VGLS-60L		60L	355,80	355,80
06-61-90VGLS-205L		205L	1156,10	1156,10
	VALVO SAE 80 GL-4 API GL-4 MIL-L-2105 CS-3000A	4 X 4L		
06-61-80VGL4-18L		18L	90,00	90,00
		60L		
06-61-80VGL4-205L		205L	955,70	955,70

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
06-61-90VGL4-18L	VALVO SAE 90 GL-4 API GL-4 MIL-L-2105 CS-3000A	4 X 4L 18L 60L 205L	90,00	90,00
06-61-90VGL1-1L	VALVO SAE 90 GL-1 API GL-1	16 X 1L	5,00	80,00
06-61-90VGL1-4L		4 X 4L	18,60	74,40
06-61-90VGL1-18L		18L	79,70	79,70
		60L 205L		
06-61-85140VPG5-4L	GEAR PLUS 85W140 GL-5 API GL-5, MIL-L-2105D, MAN 342N-2, ZF TE-ML 7A, 12E, 16D, 19B	4 X 4L	27,10	108,40
06-61-85140VPG5-18L		18L	102,80	102,80
		60L		
		205L		
06-61-140VGL5-18L	VALVO SAE 140 GL-5 API GL-5, MIL-L-2105D, MAN 342N	18L 60L 205L	102,80	102,80
	VALVO SAE 140 GL-4 API GL-4 MIL-L-2105 CS-3000A	18L		
		60L		
		205L		
06-61-140VGL1-1L	VALVO SAE 140 GL-1 API GL-1	16 X 1L	5,20	83,20
		4 X 4L		
06-61-140VGL1-18L		18L	80,70	80,70
		60L 205L		
ΛΙΠΑΝΤΙΚΑ ΑΥΤΟΜΑΤΩΝ ΚΙΒΩΤΙΩΝ				
06-61-ATFVI1L	AUTOMATIC TRANSMISSION FLUID DEXRON VI GM DEXRON VI, GM DEXRON II & III, ALLISON C - 4	16 X 1L	8,00	128,00
06-61-ATFVI4L		4 X 4L	36,60	146,40
06-61-ATFVI18L		18L	141,40	141,40
06-61-ATFVI60L		60L	494,60	494,60
06-61-ATFVI205L		205L	1528,60	1528,60
06-61-ATFCVT1L	AUTOMATIC TRANSMISSION FLUID CVT TOYOTA CVTF TC, TOYOTA CVTF FE, NISSAN NS-1, NISSAN NS-2, HONDA HMMF, HONDA HCF2, MITSUBISHI SP-III, MITSUBISHI CVTF-J1, SUBARU ECVT, SUBARU ICVT, DAIHATSU AMMIX CVT, SUZUKI CVTF TC, SUZUKI NS-2, SUZUKI CVT GREEN 1, HYUNDAI SP-III, CHRYSLER JEEP NS-2, MENE COOPER EZL 799	16 X 1L	9,80	156,80
06-61-ATFCVT4L		4 X 4L	37,90	151,60
06-61-ATFCVT18L		18L	150,30	150,30
06-61-ATFCVT60L		60L	500,90	500,90
06-61-ATFCVT205L		205L	1637,80	1637,80
06-61-ATF1L	AUTOMATIC TRANSMISSION FLUID GM DEXRON IID & IIIG, MB 236.1, 236.9, MAN 339 Z-1 & V-1, ALLISON C-4, FORD MERCON, CATERPILLAR TO-2, ZF TE-ML 11B/14A/17C	16 X 1L	6,80	108,80
06-61-ATF4L		4 X 4L	26,30	105,20
06-61-ATF18L		18L	111,20	111,20
06-61-ATF60L		60L	395,70	395,70
06-61-ATF205L		205L	1194,60	1194,60
ΛΙΠΑΝΤΙΚΑ ΥΔΡΑΥΛΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ				
06-61-32H18L	HYDRAULIC ISO 32 DIN 51524, part 2 an d 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L	74,20	74,20
		60L		
		205L		
06-61-46H18L	HYDRAULIC ISO 46 DIN 51524, part 2 an d 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L	74,20	74,20
06-61-46H60L		60L	253,60	253,60
06-61-46H205L		205L	742,20	742,20
06-61-68H18L	HYDRAULIC ISO 68 DIN 51524, part 2 an d 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L	74,20	74,20
06-61-68H60L		60L	253,60	253,60
06-61-68H205L		205L	742,20	742,20
06-61-100HY18L	HYDRAULIC ISO 100 DIN 51524, part 2 an d 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L	74,20	74,20
06-61-100HY60L		60L	253,60	253,60
06-61-100HY205L		205L	742,20	742,20

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
ΓΡΑΣΣΑ				
	GREASE CALCIUM NLGI-3	24 X 1L		
06-61-GECHG3-4L		4L	21,00	84,00
06-61-GECHG3-16L		16L	82,60	82,60
06-61-GECHG3-50L		50L	242,60	242,60
06-61-GECHG3-180L		180L	865,40	865,40
	GREASE CALCIUM NLGI-2	4L	25,50	102,00
06-61-GICAL2-4K		16L	102,00	102,00
06-61-GICAL2-16K		180L	979,20	979,20
06-61-GICAL2-180K				
	ΓΡΑΣΟ ΛΙΘΙΟΥ Blue NLGI-G2	4L	43,70	174,80
06-61-GLHBG2-4L		16L	120,70	120,70
06-61-GLHBG2-16L		180L	1565,80	1565,80
06-61-GLHBG2-180L				
	ΓΡΑΣΟ ΛΙΘΙΟΥ Blue NLGI-G3	4L	43,70	174,80
06-61-GLHBG3-4L		16L	120,70	120,70
06-61-GLHBG3-16L		180L	1505,50	1505,50
06-61-GLHBG3-180L				
	GREASE LITHIUM NLGI-2	24 X 1L	9,10	218,40
06-61-GILHG2-1L		4L	30,90	123,60
06-61-GILHG2-4L		16L	118,90	118,90
06-61-GILH1G2-16L		50L	325,00	325,00
06-61-GILHG2-50L		180L	1274,40	1274,40
06-61-GILHG2-180L				
	GREASE LITHIUM NLGI-3	24 X 1L		
06-61-GILHG3-4L		4L	32,80	131,20
06-61-GILHG3-16L		16L	103,40	103,40
		50L		
06-61-GILHG3-180L		180L	1274,40	1274,40
	GREASE LITHIUM NLGI-00EP	24 X 1L	6,20	148,80
06-61-GLH-1L		4L	25,20	100,80
06-61-GLH-4L		16L	95,30	95,30
06-61-GLH-16L		50L	291,90	291,90
06-61-GLH-50L		180L	1063,80	1063,80
06-61-GLH-180L				
	GREASE LITHIUM MOS2	24 X 1L		
06-61-GLMH-4L		4L	35,60	142,40
06-61-GLMH-16L		16L	111,30	111,30
06-61-GLMH-50L		50L	436,80	436,80
06-61-GLHM-180L		180L	1618,00	1618,00
ΛΙΠΑΝΤΙΚΑ ΕΞΩΛΕΜΒΙΩΝ (OUTBOARD)				
	OUTBOARD 2T	16 X 1L	9,10	145,60
06-61-2THOB1L		18L	151,30	151,30
06-61-2THOB18L	NMMA TC-W3			
ΛΙΠΑΝΤΙΚΑ ΓΕΩΡΓΙΚΩΝ ΜΗΧΑΝΗΜΑΤΩΝ				
	TRACTOR 10W30	4 X 4L	25,20	100,80
06-61-1030T4L		18L	107,20	107,20
06-61-1030T18L	JOHN DEERE, J20C, J27, FORD M2C 159B M2C 134D, MASSEY FERGUSON CMS M1145 & M1135, M1144 & M1139, NEW HOLLAND 82009201/2/3, MAT 3525 & 3526, API GL-4, ZF TE ML 06C, 07B, ALLISON C-4, CATERPILLAR TO-2	60L		
06-61-1030T205L		205L	1134,70	1134,70
	SUPER TRACTOR OIL UNIVERSAL 20w40	18L	88,30	88,30
06-61-2040T18L	JOHN DEERE, J20C, JDM J27, FORD M2C -159B, M2C 86A & 134C, MASSEY FERGUSON M1135, M1127, M1139, ALLISON C-4, CATERPILLAR TO-2, API GL-4, ZF TE - ML 06C, 07B, API CG-4, API SF, CCMC D4, MB 227.1, MAN 271, ACEA E3	60L		
		205L		

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
ΛΙΠΑΝΤΙΚΑ ΒΙΟΜΗΧΑΝΙΑΣ				
06-61-100H-18L	INDUSTRIAL ISO 100 DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM D665 B) GARDNER DENVER	18L	84,10	84,10
06-61-100H-60L		60L	301,80	301,80
06-61-100H-205L		205L	890,60	890,60
06-61-150H-18L	INDUSTRIAL ISO 150 DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM D665 B) GARDNER DENVER	18L	87,30	87,30
		60L		
		205L		
06-61-220H-18L	INDUSTRIAL ISO 220 DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM D665 B) GARDNER DENVER	18L	85,70	85,70
		60L		
		205L		
06-61-320H-18L	INDUSTRIAL ISO 320 DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM D665 B) GARDNER DENVER	18L	85,70	85,70
		60L		
06-61-320H-205L		205L	907,80	907,80
	LIFT-50	18L		
		60L		
		205L		
	TRANS THERM	18L		
		60L		
		205L		
	VOXULA 32 DIN 51517 PART 3, FZG GEAR TEST STAGE 12, EP 135B (ASTM D665 B) GARDNER DENVER	18L		
		60L		
		205L		
	VOXULA 100 DIN 51517 PART 3, FZG GEAR TEST STAGE 12, EP 135B (ASTM D665 B) GARDNER DENVER	18L		
		60L		
		205L		
	VOXANA T32 DIN 51524 T2 HLP, DIN 51517 CLP	18L		
		60L		
		205L		
06-61-VOXA68H-18L	VOXANA T68 DIN 51524 T2 HLP, DIN 51517 CLP	18L	97,60	97,60
		60L		
		205L		
06-61-VOXA220H-18L	VOXANA T220 DIN 51524 T2 HLP, DIN 51517 CLP	18L		
		60L		
		205L		
06-61-SOR46H-18L	SORELA P46 DIN 51506 VDL	18L		
		60L		
		205L		
06-61-SOR68H-18L	SORELA P68 DIN 51506 VDL	18L		
		60L		
		205L		
06-61-SOR100-H18L	SORELA P100 DIN 51506 VDL	18L		
		60L		
		205L		
06-61-SOR150H-18L	SORELA P150 DIN 51506 VDL	18L		
		60L		
		205L		

ΚΩΔΙΚΟΣ	Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ	ΣΥΣΚ/ΣΙΑ	ΤΙΜΗ	
			ΤΕΜ.	ΣΥΣΚ/ΣΙΑΣ
ΑΝΤΙΨΥΚΤΙΚΑ & ΑΝΤΙΘΕΡΜΙΚΑ				
ELGI2-1.5L	ELGINE PREMIUM ANTIFREEZE G12+ -76°C ΣΥΜΠΥΚΝΩΜΕΝΟ	12 X 1,5L	11,00	132,00
ELGI2-15L	ASTM D3306 (USA) ASTM D4656 (USA) ASTM D4985 (USA) BS 6580: 1992 (UK) AFNOR NF R15-601 (France)* AS 2108 (Australia), SAE J 1034 , FFV Heft R443CUNA NC 956-16, UNE 26361-88, NATO S 759 *except for reserve alkalinity	18L	118,00	118,00
ELGI2-205L	Ford WSS-M97B44-D, Mercedes-Benz 325.3, Renault 41-01-001, General Motors GM 6277M, Volkswagen VAG TL 774 D & F, MAN 324 SNF, Mazda, Volvo	205L	1428,00	1428,00
ELGI2P-1L	ELGINE ΠΑΡΑΦΛΟΥ G12+ -25°C +147°C ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ	16 X 1L	6,00	96,00
ELGI2P-4L	ASTM D3306 (USA) ASTM D4656 (USA) ASTM D4985 (USA) BS 6580: 1992 (UK) AFNOR NF R15-601 (France)* AS 2108 (Australia), SAE J 1034 , FFV Heft R443CUNA NC 956-16, UNE 26361-88, NATO S 759 *except for reserve alkalinity	4 X 4L	17,60	70,40
ELGI2P-18L	Ford WSS-M97B44-D, Mercedes-Benz 325.3, Renault 41-01-001, General Motors GM 6277M, Volkswagen VAG TL 774 D & F, MAN 324 SNF, Mazda, Volvo	18L	75,00	52,30
ELGI2P-205L		205L	700,00	700,00
ELGI2P20-4L	ELGINE ΠΑΡΑΦΛΟΥ G12+ -20°C ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ	4 X 4L	13,20	52,80
ELFLU20-4L	ELIA ΠΑΡΑΦΛΟΥ G11 -20°C ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ	4 X 4L	10,00	40,00
ELFLU20-1L		16 X 1L	3,40	54,40