

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
<b>ΛΙΠΑΝΤΙΚΑ ΒΕΝΖΙΝΟΚΙΝΗΤΗΡΩΝ / ΕΛΑΦΡΩΝ DIESEL</b>		
06-61-020B1L	<b>ULTRA ECO 0W-20</b> API SP, ILSAC GF-6A, GM Dexos 1 Gen 2	100% 16 X 1L
06-61-020B4L		4 X 4L
06-61-520B1L	<b>ULTRA ECO 5W-20</b> API SP, ILSAC GF-6A, GM Dexos 1 Gen 2	100% 16 X 1L
06-61-520B4L		4 X 4L
06-61-530PB1L	<b>SYNTHETIC POWER 5W-30 100%</b> API SL/CF, ACEA A3/B4, ACEA A5/B5, MB 229.3/229.5/226.5, VW 502.00/505.00, RENAULT RN 0710/0700 Performance Level: OPEL GM-LL-A/B-025, FORD WSS-M2C913C	100% 16 X 1L
06-61-530PB4L		4 X 4L
06-61-530PB60L		60L
06-61-530PB205L		205L
06-61-540PBD1L		<b>SYNTHETIC POWER 5W40 100%</b> API SN/CF, ACEA A3/B4, MB 229.3/229.5/226.5, VW 502.00/505.00, Renault RN 0710/0700, Porche A40 Performance Level: OPEL GM-LL-A/B-025, BMW Longlife-01
06-61-540PBD4L	4 X 4L	
06-61-540PBD60L	60L	
06-61-540PBD205L	205L	
06-61-530VWB1L	<b>SYNTHETIC POWER II 5W-30</b> API SN, ACEA C3, MB 229.51, BMW LL-04, VW 504.00/ 507.00, PORSCHE C30	100% 16 X 1L
06-61-530VWB4L		4 X 4L
06-61-530VWB60L		60L
06-61-530VWB205L		205L
06-61-530B1L	<b>SYNTHETIC RACING 5W-30</b> API SN, SM, SL, CF, ACEA C3-10, ACEA C2-10, ACEA A5/B5, MB 229.52/MB 229.51 / 229.31/226.5, BMW Longlife-04, VW 505.00 / 505.01, GM dexos 2, Renault RN 0700/0710, FORD WSS-M2C913C	100% 16 X 1L
06-61-530B4L		4 X 4L
06-61-530B18L		18L
06-61-530B60L		60L
06-61-530B205L		205L
06-61-540BD1L	<b>SYNTHETIC RACING 5W-40</b> API SN, SM, SL, CF, ACEA C3, MB 229.52/ 229.51/ 229.31/ 226.5, BMW Longlife -04, GM dexos 2, PORSCHE C40, Renault RN 0700/0710 Performance Level: VW 505.00/ 505.01, FORD WSS-M2C917-A	100% 16 X 1L
06-61-540BD4L		4 X 4L
06-61-540BD18L		18L
06-61-540BD60L		60L
06-61-540BD205L		205L
06-61-1060S1L	<b>100% SYNTHETIC RACING 10W-60</b> API SN/CF, ACEA A3/B4, MB 229.3, MB 226.5, Renault RN 0710/0700, JASO MA2, PSA B712300, VW 501.01/505.00 Performance Level: MB 229.1, VW 502.00/505.00, Fiat 9.55535-D2/G2	100% 16 X 1L
06-61-1060S4L		4 X 4L
06-61-1040SBD1L	<b>100% SYNTHETIC RACING 10W-40</b> API SN/CF, ACEA A3/B4, MB 229.3, MB 226.5, Renault RN 0710/0700, JASO MA2, PSA B712300, VW 501.01/505.00 Performance Level: MB 229.1, VW 502.00/505.00, Fiat 9.55535-D2/G2	100% 16 X 1L
06-61-1040SBD4L		4 X 4L
06-61-1040SBD18L		18L
06-61-1040SBD60L		60L
06-61-1040SBD205L		205L
06-61-1040BD1L	<b>SYNTHETIC 10W-40</b> API SN/SL/CF, ACEA A3/B4, MB 229.1, Renault RN 0710/0700 Performance Level: VW 501.01/505.00	Se mi 16 X 1L
06-61-1040BD4L		4 X 4L
06-61-1040BD18L		18L
06-61-1040BD60L		60L
06-61-1040BD205L		205L
06-61-1550BD1L	<b>SYNTHETIC 15W-50</b> API SL/CF, ACEA A3/B4, MB 229.1 Performance Level: VW 501.01/505.00	Se mi 16 X 1L
06-61-1550BD4L		4 X 4L
06-61-1550BD60L		60L
06-61-1550BD205L		205L
06-61-2050B1L	<b>RALLY 20W-50</b>	Min eral 16 X 1L

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
06-61-2050B4L	API SL/CF, ACEA A3/B4, MB 229.1	4 X 4L
06-61-205B18L		18L
06-61-2050B60L		60L
06-61-2050B205L		205L
06-61-1540B1L	<b>TURBO 15W-40</b> API SL/ CF, ACEA A3/B4,E2, MB 229.1, MAN 271, VOLVO VDS, DEUTZ DQC-I-05	Mineral 16 X 1L
06-61-1540B4L		4 X 4L
06-61-1540B18L		18L
06-61-1540B60L		60L
06-61-1540B205L		205L

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
<b>ΛΙΠΑΝΤΙΚΑ ΕΠΑΓΓΕΛΜΑΤΙΚΩΝ ΟΧΗΜΑΤΩΝ</b>		
06-61-1040E5TD4L	<b>EURO E - PLUS 10W-40</b> ACEA E6/E7/E9, API CK-4, CJ-4, MB 228.51, MB 228.31/235.28, MAN M3677/M3477, MTU TYPE 3.1, VOLVO VDS-4, MACK EO-O PP-07, RENAULT RLD-3, Cummins CES 20081, CAT ECF-3, DEUTZ DQC IV-10 LA, Detroit Diesel DDC 93K218, JASO DH-2, SCANIA Low Ash	Syn that 4 X 4L
06-61-1040E5TD18L		18L
06-61-1040E5TD60L		60L
06-61-1040E5TD205L		205L
06-61-1040E4TD4L	<b>EURO D - PLUS 10W-40</b> API CI-4, ACEA E4/E7, MB 228.5, MAN M3277, M3377, VOLVO VDS-3, MTU Type 3.0, RENAULT RLD-2, Mack EO-N, CUMMINS 20078, Deutz IV-10, GLOBAL DHD-1, DETROIT DIESEL 93K215	Syn that 4 X 4L
06-61-1040E4TD18L		18L
06-61-1040E4TD60L		60L
06-61-1040E4TD205L		205L
06-61-1040 VTD4L	<b>TURBO V SYNTHETIC 10W-40</b> API CI-4/CH-4/SL/SJ, ACEA E7, A3/B4, MB 228.3, MB 229.1, MAN M3275, VOLVO VDS-3, MACK EO-N, EO-M Plus, Caterpillar ECF-2, ECF-1a, ALLISON C4, MTU Type 2, CUMMINS CES 20078/20077/20076, RENAULT RLD-2, DEUTZ DQC-III, DQC-II, DETROIT DIESEL DDC 93K215, JASO DH-1, GLOBAL DHD-1, ZF TE-ML 05K/07D/21K	Syn that 4 X 4L
06-61-1040VTD18L		18L
06-61-1040VTD60L		60L
06-61-1040VTD205L		205L
06-61-2050VTD18L	<b>TURBO V 15W-40</b> API CI-4/CH-4/SL/SJ, ACEA E7, MB 228.3, MAN M3275, VOLVO VDS-3, MACK EO-N, EO-M Plus, Caterpillar ECF-2, ECF-1a, ALLISON C4, MTU Type 2, CUMMINS CES 20078/20077/20076, RENAULT RLD-2, DEUTZ DQC-III, DQC-II, DETROIT DIESEL DDC 93K215, JASO DH-1, GLOBAL DHD-1, ZF TE-ML 04P/07D	Min eral 18L
06-61-2050VTD60L		60L
06-61-2050VTD205L		205L
06-61-1540VTD18L	<b>TURBO V 20W-50</b> API CI-4/CH-4/SL/SJ, ACEA E7, MB 228.3, MAN M3275, Caterpillar ECF-2, ECF-1a <b>Performance Level:</b> VOLVO VDS-3, MACK EO-N, EO-M Plus, ALLISON C4, MTU Type 2, CUMMINS CES 20078/20077/20076, RENAULT RLD-2, DEUTZ DQC-III, DQC-II, DETROIT DIESEL DDC 93K215	Min eral 18L
06-61-1540VTD60L		60L
06-61-1540VTD205L		205L
06-61-1540TD1L	<b>S.H.P.D 15W-40</b> API CH-4/CG-4/SJ, MB 228.3, MAN M3275, MTU Type 2, MACK EO-M Plus, CUMMINS CES 20077/20076, Caterpillar ECF-1a, DEUTZ DQC- II <b>Performance Level:</b> ACEA E7, VOLVO VDS-2, RENAULT RLD-2, ZF TE-ML 04P/07D, ALLISON C4	Min eral 16 X 1L
06-61-1540TD4L		4 X 4L
06-61-1540TD18L		18L
06-61-1540TD60L		60L
06-61-1540TD205L		205L
06-61-2050TD1L	<b>S.H.P.D 20W-50</b> API CH-4/CG-4/SJ, MB 228.1, MAN M3275, Caterpillar ECF-1a <b>Performance Level:</b> ACEA E7, MB 228.3, VOLVO VDS-2, MACK EO-M Plus, ALLISON C4, MTU Type 2, CUMMINS CES 20077/20076, RENAULT RLD-2, DEUTZ DQC-II	Min eral 16 X 1L
06-61-2050TD4L		4 X 4L
06-61-2050TD18L		18L
06-61-2050TD60L		60L
06-61-2050TD205L		205L
06-61-2050D1L	<b>TURBODIESEL 20W-50</b> API CF-4/SG, MB 228.1, MAN 271, MTU Type 1, VOLVO VDS, DEUTZ DQC-I-05 <b>Performance Level:</b> ACEA E2	Min eral 16 X 1L
06-61-2050D4L		4 X 4L
06-61-2050D18L		18L
06-61-2050D60L		60L
06-61-2050D205L		205L
06-61-1540BD1L	<b>TURBO 15W-40</b> API CF/ SL, ACEA A3/B4, MB 229.1, MAN 271, MTU Type 1, VOLVO VDS, DEUTZ DQC-I-05 <b>Performance Level:</b> API CF-4, ACEA E2, MB 228.1	Min eral 16 X 1L
06-61-1540BD4L		4 X 4L
06-61-1540BD18L		18L
06-61-1540BD60L		60L
06-61-1540BD205L		205L

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>	
06-61-30WBD1L	<b>HEAVY DUTY SAE 10W</b>  API SC / CC,MEL-L 2104B	Mineral 16 X 1L	
06-61-10WBD4L			4 X 4L
06-61-10WBD18L			18L
06-61-10WBD60L			60L
06-61-10WBD205L			205L
06-61-30WBD1L	<b>HEAVY DUTY SAE 30W</b>  API SC / CC,MIL-L 2104B	Mineral 16 X 1L	
06-61-30WBD4L			4 X 4L
06-61-30WBD18L			18L
06-61-30WBD60L			60L
06-61-30WBD205L			205L
06-61-40WBD1L	<b>HEAVY DUTY SAE 40W</b>  API SC / CC,MIL-L 2104B	Mineral 16 X 1L	
06-61-40WBD4L			4 X 4L
06-61-40WBD18L			18L
06-61-40WBD60L			60L
06-61-40WBD205L			205L
06-61-30WPTD1L	<b>POWER TRUCK S-3 30</b>  API CF-2 / CF/SF, ACEA E2, MB 228.0, MAN 270, MTU Type 1	Mineral 16 X 1L	
06-61-30WPTD4L			4 X 4L
06-61-30WPTD18L			18L
06-61-30WPTD60L			60L
06-61-30PTD205L			205L
	10W ( 18L ,60L, 205L)		
06-61-40WPTD1L	<b>POWER TRUCK S-3 40</b>  API CF-2 / CF/SF, ACEA E2, MB 228.0, MAN 270, MTU Type 1	Mineral 16 X 1L	
06-61-40WPTD4L			4 X 4L
06-61-40WPTD18L			18L
06-61-40WPTD60L			60L
06-61-40PTD205L			205L
	10W ( 18L ,60L, 205L)		

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
<b>ΒΑΛΒΟΛΙΝΕΣ</b>		
06-61-7590VGL5-1L	<b>GEAR PLUS SYNTHETIC 75W-90 GL-5</b> API GL-5, MIL-L-2105D, MAN 342M-2, ZF TE-ML 7A, 12E, 16D, 17B, 19B, 21A	16 X 1L
06-61-7590VGL5-18L		18L
06-61-7590VGL5-60L		60L
06-61-7590VGL5-205L		205L
06-61-7590VGLS-1L	<b>GEAR PLUS SYNTHETIC 75W-90 LS</b> API GL-5, ZF TE-ML 05C,12C,16E	16 X 1L
06-61-7590VGLS-18L		18L
06-61-7590VGLS-60L		60L
06-61-7590VGLS-205L		205L
06-61-7585VGL5-1L	<b>GEAR PLUS SYNTHETIC 75W-85 GL-5</b> API GL-5	16 X 1L
06-61-7580VGL5-1L	<b>GEAR PLUS SYNTHETIC 75W-80 GL-5</b> API GL-5, MIL-L-2105D, MAN 342M-2, ZF TE-ML 7A, 12E, 16D, 17B, 19B, 21A	16 X 1L
06-61-7580VGL5-18L		18L
06-61-7580VGL5-60L		60L
06-61-7580VGL5-205L		205L
06-61-8090VGL5-1L	<b>GEAR PLUS 80W-90 GL-5</b> API GL-5, MIL-L-2105D, MAN 342M-2, ZF TE-ML 7A, 12E, 16D, 17B, 19B, 21A	16 X 1L
06-61-8090VGL5-4L		4 X 4L
06-61-8090VGL5-18L		18L
06-61-8090VGL5-60L		60L
06-61-8090VGL5-205L		205L
06-61-8090VGL4-1L	<b>GEAR PLUS 80W-90 GL-4</b> API GL-4, CS-3000A	16 X 1L
06-61-8090VGL4-4L		4 X 4L
06-61-8090VGL4-18L		18L
06-61-8090VGL4-60L		60L
06-61-8090VGL4-205L		205L
06-61-8090VGLS-1L	<b>GEAR PLUS 80W-90 GL-5 LS</b> API GL-5, ZF TE-ML 05C,12C,16E	16 X 1L
06-61-8090VGLS-18L		18L
06-61-8090VGLS-60L		60L
06-61-8090VGLS-205L		205L
06-61-75140VGL5-1L	<b>GEAR PLUS SYNTHETIC 75W-140 GL-5</b> API GL-5, MIL-L-2105D, MAN 342M-2, ZF TE-ML 7A, 12E, 16D, 17B, 19B, 21A	16 X 1L
06-61-75GL4-1L	<b>GEAR PLUS 75W GL-4</b> API GL-4, <b>Performance level:</b> BMW MTF LT-3, VW G 052 178 A2, VW G 052 512 A2 , VW G 052 726 A2, VW G 060 726 A2, VW G 070 726 A2, GM 1940764, TOYOTA 08885-81081, Ford M2C 186-A, Ford WSS-M2C200-D2, PSA 9730 A8, Nissan MT-XZ	16 X 1L

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
06-61-80VGL5-18L	<b>VALVO SAE 80W GL-5</b>  API GL-5, MIL-L-2105D, MAN 342M-2	18L
06-61-80VGL5-60L		60L
06-61-80VGL5-205L		205L
06-61-90VGL5-18L	<b>VALVO SAE 90W GL-5</b>  API GL-5, MIL-L-2105D, MAN 342M-2	18L
06-61-90VGL5-60L		60L
06-61-90VGL5-205L		205L
06-61-90VGLS-1L	<b>VALVO SAE 90W GL-5 LS</b>  API GL-5, ZF TE-ML 05C,12C,16E	16 X 1L
06-61-90VGLS-18L		18L
06-61-90VGLS-60L		60L
06-61-90VGLS-205L		205L
06-61-80VGL4-4L	<b>VALVO SAE 80W GL-4</b>  API GL-4, CS-3000A	4 X 4L
06-61-80VGL4-18L		18L
06-61-80VGL4-60L		60L
06-61-80VGL4-205L		205L
06-61-90VGL4-4L	<b>VALVO SAE 90W GL-4</b>  API GL-4, CS-3000A	4 X 4L
06-61-90VGL4-18L		18L
06-61-90VGL4-60L		60L
06-61-90VGL4-205L		205L
06-61-90VGL1-1L	<b>VALVO SAE 90W GL-1</b>  API GL-1	16 X 1L
06-61-90VGL1-4L		4 X 4L
06-61-90VGL1-18L		18L
06-61-90VGL1-60L		60L
06-61-90VGL1-205L		205L
06-61-85140VPGL5-18L	<b>GEAR PLUS 85W-140 GL-5</b>  API GL-5, MIL-L-2105D, MAN 342M-2, ZF TE-ML 7A, 12E, 16D, 17B, 19B, 21A	18L
06-61-85140VPGL5-60L		60L
06-61-85140VPGL5-205L		205L
06-61-140VGL5-18L	<b>VALVO SAE 140W GL-5</b>  API GL-5, MIL-L-2105D, MAN 342M-2	18L
06-61-140VGL5-60L		60L
06-61-140VGL5-205L		205L
06-61-140VGL4-18L	<b>VALVO SAE 140W GL-4</b>  API GL-4, CS-3000A	18L
06-61-140VGL4-60L		60L
06-61-140VGL4-205L		205L
06-61-140VGL1-1L	<b>VALVO SAE 140W GL-1</b>  API GL-1	16 X 1L
06-61-140VGL1-4L		4 X 4L
06-61-140VGL1-18L		18L
06-61-140VGL1-60L		60L
06-61-140VGL1-205L		205L

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
<b>ΛΙΠΑΝΤΙΚΑ ΑΥΤΟΜΑΤΩΝ ΚΙΒΩΤΙΩΝ</b>		
06-61-ATFVI1L	<b>AUTOMATIC TRANSMISSION FLUID DEXRON VI</b>  <b>Performance level:</b> DEXRON VI, Ford MERCON LV, BMW JWS 3309, FUSO ATF A4, HYUNDAI/KIA SP III, MAN 339 Z1& Z2, MITSUBISHI SP III/AW/J3, Mitsubishi CVTF-J1, MB 236.1, 236.2, 236.3, MB 236.6, 236.7,236.9, 236.10, 236.11, ATF +4, FORD FNR5, Toyota & Lexus ATF WS, Honda & Acura ATF DW-1/Ultra ATF Z1, JAGUAR ATF 3403, MAZDA ATF 3317, ALLISON C-4, Chrysler Jeep NS-2	16 X 1L
06-61-ATFVI1L		4 X 4L
06-61-ATFVI18L		18L
06-61-ATFVI60L		60L
06-61-ATFVI205L		205L
06-61-ATFCVT1L	<b>AUTOMATIC TRANSMISSION FLUID CVT</b>  <b>Performance level:</b> VW/Audi TL 52180/ 52516, TOYOTA CVTF TC, TOYOTA CVTF FE, NISSAN NS-1, NISSAN NS-2, HONDA HMMF, HONDA HCF2, MITSUBISHI SP-III, MITSUBISHI CVTF-J1, SUBARU ECVT, SUBARU ICVT, DAIHATSU AMMIX CVT, SUZUKI CVTF TC, SUZUKI NS-2, SUZUKI CVT GREEN 1, HYUNDAI SPIII, CHRYSLER JEEP NS-2, MINI COOPER EZL 799	16 X 1L
06-61-ATFCVT4L		4 X 4L
06-61-ATFCVT18L		18L
06-61-ATFCVT60L		60L
06-61-ATFCVT205L		205L
06-61-ATF1L	<b>AUTOMATIC TRANSMISSION FLUID</b>  <b>Performance level:</b> GM DEXRON IIIH, MB 236.1, 236.5, 236.9, MAN 339 Z-1 & V-1, Z-2 & V-2, Allison C-4, Allison TES-389, Ford MERCON, Ford M2C138-CJ, M2C 166-H Fluids, Caterpillar TO-2, VOLVO 97340, 97341, VOITH 55.6335, 55.6336, ZF TE-ML 04D, 09, 11B, 14A, 17C	16 X 1L
06-61-ATF4L		4 X 4L
06-61-ATF18L		18L
06-61-ATF60L		60L
06-61-ATF205L		205L
<b>ΛΙΠΑΝΤΙΚΑ ΥΔΡΑΥΛΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ</b>		
06-61-32H18L	<b>HYDRAULIC ISO 32</b>  DIN 51524, part 2 and 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L
06-61-32H60L		60L
06-61-32H205L		205L
06-61-46H18L	<b>HYDRAULIC ISO 46</b>  DIN 51524, part 2 and 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L
06-61-46H60L		60L
06-61-46H205L		205L
06-61-68H18L	<b>HYDRAULIC ISO 68</b>  DIN 51524, part 2 and 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L
06-61-68H60L		60L
06-61-68H205L		205L
06-61-100HY18L	<b>HYDRAULIC ISO 100</b>  DIN 51524, part 2 and 3 HVLP, SEB 181 222, ANFOR NF E48-603, VDMA 24318 , CETOR RP 91 H, VICKERS M-2950-S and I-286-S	18L
06-61-100HY60L		60L
06-61-100HY205L		205L
<b>ΛΙΠΑΝΤΙΚΑ ΓΕΩΡΓΙΚΩΝ ΜΗΧΑΝΗΜΑΤΩΝ</b>		
06-61-1030T1L	<b>TRACTOR 10W-30</b>  API GL-4, JOHN DEERE J20C, Ford M2C 134D, CNH MAT 3525, 3526, MASSEY FERGUSON M1145 & M1135, M1143, Volvo WB101, Allison C-4 <b>Performance Level:</b> API CD/SE, Ford M2C 86B,C, CATERPILLAR TO-2, Sperry Vickers /Eaton M2950S/I-286-S, Suitable for hydraulic use, Suitable for Wet Brakes	4 X 4L
06-61-1030T18L		18L
06-61-1030T60L		60L
06-61-1030T205L		205L
06-61-2040T18L	<b>SUPER TRACTOR OIL UNIVERSAL 20W-40</b>  API CD/SE, API GL- 4, JOHN DEERE J27, FORD M2C -159B, C, MASSEY FERGUSON M1144, M1145, M1139, ZF TE – ML 06A <b>Performance Level:</b> FORD NEW HOLLAND 82009201, 2, 3, ZF TE – ML 06B, 06C & 07B, Allison C-4, Suitable for hydraulic use, Suitable for Wet Brakes	18L
06-61-2040T60L		60L
06-61-2040T205L		205L

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
<b>ΓΡΑΣΣΑ</b>		
06-61-GICHG3-1L	<b>GREASE CALCIUM NLGI-3</b>  DIN 51825 K3 E-20	24 X 1L
06-61-GICHG3-4L		4L
06-61-GICHG3-16L		16L
06-61-GICHG3-50L		50L
06-61-GICHG3-180L		180L
06-61-GICAL2-4K	<b>GREASE CALCIUM NLGI-2</b>	4L
06-61-GICAL2-16K		16L
06-61-GICAL2-180K		180L
06-61-GLHBG2-4L	<b>ΓΡΑΣΟ ΛΙΘΙΟΥ Blue NLGI-G2</b>	4L
06-61-GLHBG2-16L		16L
06-61-GLHBG2-180L		180L
06-61-GLHBG3-4L	<b>ΓΡΑΣΟ ΛΙΘΙΟΥ Blue NLGI-G3</b>	4L
06-61-GLHBG3-16L		16L
06-61-GLHBG3-180L		180L
06-61-GILHG2-1L	<b>GREASE LITHIUM NLGI-2</b>  DIN 51825 K-30	24 X 1L
06-61-GILHG2-4L		4L
06-61-GILH1G2-16L		16L
06-61-GILHG2-50L		50L
06-61-GILHG2-180L		180L
06-61-GILHG3-1L	<b>GREASE LITHIUM NLGI-3</b>  DIN 51825 K-30	24 X 1L
06-61-GILHG3-4L		4L
06-61-GILHG3-16L		16L
06-61-GILHG3-50L		50L
06-61-GILHG3-180L		180L
06-61-GLH-1L	<b>GREASE LITHIUM NLGI-00EP</b>  DIN 51825 GP00 K-20	24 X 1L
06-61-GLH-4L		4L
06-61-GLH-16L		16L
06-61-GLH-50L		50L
06-61-GLH-180L		180L
06-61-GLMH-1L	<b>GREASE LITHIUM MOS2</b>  DIN 51825 KPF2 N-30	24 X 1L
06-61-GLMH-4L		4L
06-61-GLMH-16L		16L
06-61-GLMH-50L		50L
06-61-GLHM-180L		180L
<b>ΛΙΠΑΝΤΙΚΑ ΕΞΩΛΕΜΒΙΩΝ (OUTBOARD)</b>		
06-61-2THOB1L	<b>OUTBOARD 2T</b>  NMMA TC - W3	16 X 1L
06-61-2THOB18L		18L



<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
<b>ΛΙΠΑΝΤΙΚΑ ΒΙΟΜΗΧΑΝΙΑΣ</b>		
06-61-100H-18L	<b>INDUSTRIAL ISO 100</b> DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM D665 B) GARDNER DENVER	18L
06-61-100H-60L		60L
06-61-100H-205L		205L
06-61-150H-18L	<b>INDUSTRIAL ISO 150</b> DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM D665 B) GARDNER DENVER	18L
06-61-150H-60L		60L
06-61-150H-205L		205L
06-61-220H-18L	<b>INDUSTRIAL ISO 220</b> DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM D665 B) GARDNER DENVER	18L
06-61-220H-60L		60L
06-61-220H-205L		205L
06-61-320H-18L	<b>INDUSTRIAL ISO 320</b> DIN 51517 PART 3, FZG GEAR TEST STAGE 12, IP 135B (ASTM D665 B) GARDNER DENVER	18L
06-61-320H-60L		60L
06-61-320H-205L		205L
06-61-LEFT-18L	<b>LIFT-50</b>	18L
06-61-LEFT-60L		60L
06-61-LEFT-205L		205L
06-61-TTH-18L	<b>TRANS THERM</b>	18L
06-61-TTH-60L		60L
06-61-TTH-205L		205L
06-61-VOX32H-18L	<b>VOXULA 32</b> DIN 51517 PART 3, FZG GEAR TEST STAGE 12, EP 135B (ASTM D665 B) GARDNER DENVER	18L
06-61-VOX32H-60L		60L
06-61-VOX32H-205L		205L
06-61-VOX100H-18L	<b>VOXULA 100</b> DIN 51517 PART 3, FZG GEAR TEST STAGE 12, EP 135B (ASTM D665 B) GARDNER DENVER	18L
06-61-VOX100H-60L		60L
06-61-VOX100H-205L		205L
06-61-VOXA32H-18L	<b>VOXANA T32</b> DIN 51524 T2 HLP, DIN 51517 CLP	18L
06-61-VOXA32H-60L		60L
06-61-VOXA32H-205L		205L
06-61-VOXA68H-18L	<b>VOXANA T68</b> DIN 51524 T2 HLP, DIN 51517 CLP	18L
06-61-VOXA68H-60L		60L
06-61-VOXA68H-205L		205L
06-61-VOXA220H-18L	<b>VOXANA T220</b> DIN 51524 T2 HLP, DIN 51517 CLP	18L
06-61-VOXA220H-60L		60L
06-61-VOXA220H-205L		205L
06-61-SOR46H-18L	<b>SORELA P46</b> DIN 51506 VDL	18L
06-61-SOR46H-60L		60L
06-61-SOR46H-205L		205L
06-61-SOR68H-18L	<b>SORELA P68</b> DIN 51506 VDL	18L
06-61-SOR68H-60L		60L
06-61-SOR68H-205L		205L
06-61-SOR100-H18L	<b>SORELA P100</b> DIN 51506 VDL	18L
06-61-SOR100-H60L		60L
06-61-SOR100H-205L		205L
06-61-SOR150H-18L	<b>SORELA P150</b> DIN 51506 VDL	18L
06-61-SOR150-H60L		60L
06-61-SOR150H-205L		205L

<u>ΚΩΔΙΚΟΣ</u>	<u>Προϊόν - ΠΡΟΔΙΑΓΡΑΦΕΣ</u>	<u>ΣΥΣΚ/ΣΙΑ</u>
<b>ΑΝΤΙΨΥΚΤΙΚΑ - ΑΝΤΙΘΕΡΜΙΚΑ</b>		
ELGI2-1.5L	<b>ELGINE PREMIUM ANTIFREEZE G12+ +180 °C</b> <b>ΣΥΜΠΥΚΝΩΜΕΝΟ</b>	12 X 1,5L
ELGI2-15L	ASTM D3306 (USA) ASTM D4656 (USA) ASTM D4985 (USA) BS 6580: 1992 (UK) AFNOR NF R15-601 (France)* AS 2108 (Australia), SAE J 1034 , FFV Heft R443CUNA NC 956-16, UNE 26361-88, NATO S 759 *except for reserve alkalinity	18L
ELGI2-205L	Ford WSS-M97B44-D, Mercedes-Benz 325.3, Renault 41-01-001, General Motors GM 6277M, Volkswagen VAG TL 774 D & F, MAN 324 SNF, Mazda, Volvo	205L
ELGI2P-1L	<b>ELGINE ΠΑΡΑΦΛΟΥ G12+ -25 °C + 147 °C</b> <b>ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ</b>	16 X 1L
ELGI2P-4L		4 X 4L
ELGI2P-18L	ASTM D3306 (USA) ASTM D4656 (USA) ASTM D4985 (USA) BS 6580: 1992 (UK) AFNOR NF R15-601 (France)* AS 2108 (Australia), SAE J 1034 , FFV Heft R443CUNA NC 956-16, UNE 26361-88, NATO S 759 *except for reserve alkalinity	18L
ELGI2P-205L	Ford WSS-M97B44-D, Mercedes-Benz 325.3, Renault 41-01-001, General Motors GM 6277M, Volkswagen VAG TL 774 D & F, MAN 324 SNF, Mazda, Volvo	205L
ELGI2P20-4L	<b>ELGINE ΠΑΡΑΦΛΟΥ G12+ -20 °C</b> <b>ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ</b>	4 X 4L
ELG12P-1L		16 X 1L
ELFLUB20-4L	<b>ELIA ΠΑΡΑΦΛΟΥ G11 -20 °C</b> <b>ΜΠΛΕ</b> <b>ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ</b> VW/Audi/Seat/Skoda/Porsche TL 774C, Alfa Romeo/Fiat/Lancia 9.55523, Mercedes-Benz 325.0/325.2, Opel/GM GME L46014, Tesla, Toyota Man 324 Type NF, Chrysler MS-7170, MTU MTL 5048	4 X 4L
ELFLU20-4L	<b>ELIA ΠΑΡΑΦΛΟΥ G11 -20 °C</b> <b>ΠΡΑΣΙΝΟ</b> <b>ΕΤΟΙΜΟ ΓΙΑ ΧΡΗΣΗ</b>	4 X 4L
ELFLU20-1L		16 X 1L